

This is a list of native plants that had partial visual impact to foliage after a temperature of 24 degrees in January, 2018, and were not protected in any way. It is an average visual assessment with variation that might be due to microclimates in yards. Information submitted by members of The Villages Chapter (Zone 9 A) of the Florida Native Plant Society. Compiled by Jeanie Powell.

GROUNDCOVERS:	SHRUBS:
Frogfruit (turkey tangle) (Phyla nodiflora)	Beautyberry (Callicarpa Americana)
Wet twin flower (Dyschoriste humistrata)	Florida privet* (Foresteria segrata)
FLOWERS:	TREES:
Black-eyed susan (Rudbeckia hirta)	Mulberry (Morus rubra)
Calamint (Calamintha georgianum)	
Carolina wild petunia* (Ruellia caroliniana)	
Coreopsis (Lanceleaf) (Coreopsis lanceolata)	
Chapman's goldenrod (Solidago odora)	
Green eyes (Berlandiera subacaulis)	
Largeflower false rosemary (Conradina grandiflora)	
Lyreleaved sage (Salvia lyrata)	
Pickerel weed (Pontederia cordata)	
Sandhill black-eyed susan (Rudbeckia mollis)	
Stoke's aster (Stokesia laevis)	
GRASSES:	
Elliot's lovegrass (Eragrostis elliotii)	
FERNS:	
Cinnamon fern * (Osmunda cinnamomea)	
	* had some protection